

Phoenix 5000

NIR Tobacco Analyzer





Analyze tobacco and tobacco products



Results in 30 seconds for moisture, nicotine, sugars, menthol and more

- Results in 30 seconds or less
- Monitor moisture/oven volatiles at many stages of production
- **>** Test sugars in multiple products
- Determine nicotine in leaf, lamina, stems, cut tobacco and more
- **>** Build COAs for finished product
- Transfer existing databases from other NIR instruments
- User friendly software design

Next Generation NIR Analyzer

The new Phoenix 5000 NIR Tobacco Analyzer is an ideal solution for tobacco processors that need highly accurate rapid results before, during and after production.

The Phoenix 5000 offers 30 second analysis of:

Tobacco Leaf, Cut Tobacco, Stems, Reconstituted Tobacco and Chewing Tobacco

If you have already developed databases on other NIR platforms (FOSSTM Unity ScientificTM), you can transfer them onto the Phoenix 5000 and begin generating reliable results immediately.

•

EXPLORE THE PHOENIX

Easy to Use Interface

- 12.3" Microsoft Surface Touchscreen
- Simple tab design
- Fast access to results
- Flexible data handling

All Phoenix instruments are manufactured at Blue Sun Scientific's headquarters in Jessup, Maryland.



The most trusted NIR technology used by the food and agriculture industries



Fully Sealed

- Rugged and robust
- Ideal for in-lab or at-line analysis

Innovative Sample Car


- Scans large and small cups
- Scans entire sample cup
- Integrated standards

Easy to Access Lamp

The 5k-10k hour lamp can be replaced in under 5 minutes with no special tools needed.

Introducing BlueScan

Software Designed for Ease of Use



The Phoenix 5000 is powered by BlueScan software. BlueScan is designed to simplify routine analysis and is packed with features making it ideal for monitoring quality and optimizing production.

BlueScan's tab design ensures your information is just a click away. You can easily view results, historical data, spectra, generate reports and run diagnostics with the press of a button.

Keep Your Database

The Phoenix 5000 Tobacco Analyzer comes ready to analyze many tobacco products.

If you have existing calibrations that you have built and would like to keep, you can with the Phoenix 5000.

The Phoenix 5000 is backwards compatible with databases from many major NIR manufacturers, including FOSSTM, and Unity ScientificTM.



Monitor quality of incoming tobacco leaf



Optimize moisture at many Production stages




Determine overall quality of finished product


Specifications

Hardware	
Dimensions	14.0 in x 15.0 in x 20.75 in ; 356 mm x 381 mm x 527 mm (LxWxH)
Weight	34 lbs ; 15.4 kg
IP Rating	62
Power Connection	Via external power supply; Input:100-240VAC, 50/60Hz, 65watt Output: 24VDC, 2.7A.
Light Source	Tungsten Quartz Halogen Lamp, MTBF > 5k-10k hours
Measurement Mode	Reflectance or Transflectance
Detector	High Performance InGaAs extended ranged detector
Wavelength Selection	Scanning diffraction grating monochromator with nominal bandwidth of 10nm (FWHH). Configurable Data presented in 0.5nm, 1nm or 2nm increments
Performance	
Wavelength Range	1100-2500 nm
Number of Data Points	Up to 2800
Analysis Time	10-60 seconds (24 scans / sample = 32 seconds)
Wavelength Reproducibility	< 0.02 nm (based on Blue Sun Scientific specific diagnostic test)
Wavelength Accuracy	< 0.3 nm for Blue Sun selected published peak positions of NIST SRM 1920a standard
Photometric Noise	< 15 µAu in standard range
User Interface	
Display	12.3" Microsoft Surface Pro Touch Screen running Windows 10
Data Export Options	LIMS, Modbus, Excel
Installation Requirements	
Ambient Temperature	10-40°C
Storage Temperature	-20-40°C
Ambient Humidity	<85% RH
Mechanical Environment	Stationary during use
EMC environment	Laboratory use, Industry requirements

Blue Sun Guarantee

Every Phoenix 5000 is backed by our industry leading warranty program which guarantees you receive fast, reliable support from industry experts you can trust at a fair market price. It includes **free**:





Software Upgrades

Calibration Development (1 Year)

■ Warranty on Parts (1 Year)